



Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.


The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.


Notes


UTILITIES NOTE: The position of any existing public or private sewers, utility services, plant or apparatus shown on this drawing is believed to be correct, but no warranty to this is expressed or implied. Other such plant or apparatus may also be present but not shown. The Contractor is therefore advised to undertake their own investigation where the presence of any existing sewers, services, plant or apparatus may affect their operations.

KEY:

— SITE BOUNDARY

	FLEXIBLE CARRIAGEWAY CONSTRUCTION - FULL DEPTH
	45mm SURFACE COURSE
	65mm BINDER COURSE
	155mm BASE COURSE
	TYPE 1 GRANULAR SUB-BASE (REFER TO TABLE 1) CAPPING (REFER TO TABLE 1)

 FLEXIBLE CARRIAGEWAY CONSTRUCTION - INLAY
AREA TO BE PLANED OFF AND RESURFACED
45mm SURFACE COURSE

 FOOTWAY CONSTRUCTION - FULL DEPTH AS PER NPT
STANDARD DETAIL
20mm SURFACE COURSE
50mm BASE COURSE
100mm TYPE 1 GRANULAR SUB-BASE

P02_UPDATED FOLLOWING RSA COMMENTS AND FOR PLANNING	EJT	RAS	2022.08.05
P01_FIRST ISSUE	CH	RAS	2022.06.10
Issued/Revision	By	Appd	YYYY.MM.DD
	CH	ET	2022.06.10
	Dwn.	Dsgn.	Chkd. YYYY.MM.DD

Issue Status

FOR PLANNING

This document is suitable only for the purpose noted above.
Use of this document for any other purpose is not permitted.

Client/Project Logo



Client/Project

WILDFOX RESORTS

AFAN VALLEY

Title

EASTERN ACCESS

PAVEMENT CONSTRUCTION

Project No.	Scale
332310590	1:100

Revision	Drawing No.
P02	AV-STN-HPV-EA-DR-CH-0701

